
Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2009; month=5; day=6; hr=11; min=23; sec=43; ms=300;]

Validated By CRFValidator v 1.0.3

Application No: 10578054 Version No: 1.0

Input Set:

Output Set:

Started: 2009-04-29 14:41:40.063

Finished: 2009-04-29 14:41:40.298

Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 235 ms

Total Warnings: 3

Total Errors: 0

No. of SeqIDs Defined: 3

Actual SeqID Count: 3

Error code		Error Description									
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(1)
W	213	Artificial	or	Unknown	found	in	<213>	in	SEQ	ID	(2)
W	213	Artificial	or	IInknown	found	in	<213>	in	SEO	TD	(3)

SEQUENCE LISTING

```
<110> Smider, Vaughn V.
      Heriot, William
      Integrigen, Inc.
<120> A Non-Fluorescent, Non-Enzymatic, Chemiluminescent
      Aqueous Assay
<130> 021216-000610US
<140> 10578054
<141> 2009-04-29
<150> US 60/517,047
<151> 2003-11-03
<150> WO PCT/US04/36577
<151> 2004-11-02
<160> 3
<170> PatentIn Ver. 2.1
<210> 1
<211> 17
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: IgM secretory
      region PCR amplification primer
<220>
<221> modified_base
<222> (1)
<223> n = t 5'-modified by rhodamine X (ROX) xanthine
      fluorescent dye
<400> 1
                                                                    17
nacagggtgg gtttacc
<210> 2
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence:human VH3
      V-region PCR amplification primer
<400> 2
gtttgcaagt gtccagtgt
                                                                    19
```